

इंटरनेट

मानक

### Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS/ISO 8528-7 (1994): Reciprocating Internal Combustion Engine Driven Alternating Current Generating Sets, Part 7: Technical Declarations for Specification and Design [TED 2: Automotive Primemovers]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”



BLANK PAGE



भारतीय मानक  
प्रत्यागामी आंतरिक दहन इंजन चालित  
प्रत्यावर्ती धारा जनरेटिंग सेट  
भाग 7 विशिष्ट एवं डिजाइन की तकनीकी घोषणा

*Indian Standard*  
RECIPROCATING INTERNAL COMBUSTION  
ENGINE DRIVEN ALTERNATING CURRENT  
GENERATING SETS  
PART 7 TECHNICAL DECLARATIONS FOR SPECIFICATION AND DESIGN

ICS 29.160.40

© BIS 2012

**BUREAU OF INDIAN STANDARDS**  
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG  
NEW DELHI 110002

## NATIONAL FOREWORD

This Indian Standard (Part 7) which is identical with ISO 8528-7 : 1994 'Reciprocating internal combustion engine driven alternating current generating sets — Part 7: Technical declarations for specification and design' issued by the International Organization for Standardization (ISO) was adopted by the Bureau of Indian Standards on the recommendation of the Automotive Primemovers Transmission and Steering Systems and Internal Combustion Engines Sectional Committee and approval of the Transport Engineering Division Council.

The text of ISO Standard has been approved as suitable for publication as an Indian Standard without deviations. Certain conventions are, however, not identical to those used in Indian Standards. Attention is particularly drawn to the following:

- a) Wherever the words 'International Standard' appear referring to this standard, they should be read as 'Indian Standard'.
- b) Comma (,) has been used as a decimal marker while in Indian Standards, the current practice is to use a point (.) as the decimal marker.

In this adopted standard, reference appears to certain International Standards for which Indian Standards also exist. The corresponding Indian Standards which are to be substituted in their respective places are listed below along with their degree of equivalence for the editions indicated:

| <i>International Standard</i>                                                                                                                                      | <i>Corresponding Indian Standard</i>                                                                                                                                | <i>Degree of Equivalence</i>     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| ISO 8528-1 : 1993 Reciprocating internal combustion engine driven alternating current generating sets — Part 1: Application, ratings and performance               | IS/ISO 8528-1 : 2005 Reciprocating internal combustion engine driven alternating current generating sets: Part 1 Application, ratings and performance               | Identical with ISO 8528-1: 2005  |
| ISO 8528-2 : 1993 Reciprocating internal combustion engine driven alternating current generating sets — Part 2: Engines                                            | IS/ISO 8528-2 : 2005 Reciprocating internal combustion engine driven alternating current generating sets: Part 2 Engines                                            | Identical with ISO 8528-2 : 2005 |
| ISO 8528-3 : 1993 Reciprocating internal combustion engine driven alternating current generating sets — Part 3: Alternating current generators for generating sets | IS/ISO 8528-3 : 2005 Reciprocating internal combustion engine driven alternating current generating sets: Part 3 Alternating current generators for generating sets | Identical with ISO 8528-3 : 2005 |
| ISO 8528-4 : 1993 Reciprocating internal combustion engine driven alternating current generating sets — Part 4: Controlgear and switchgear                         | IS/ISO 8528-4 : 2005 Reciprocating internal combustion engine driven alternating current generating sets: Part 4 Controlgear and switchgear                         | Identical with ISO 8528-4 : 2005 |
| ISO 8528-5 : 1993 Reciprocating internal combustion engine driven alternating current generating sets — Part 5: Generating sets                                    | IS/ISO 8528-5 : 2005 Reciprocating internal combustion engine driven alternating current generating sets: Part 5 Generating sets                                    | Identical with ISO 8528-5 : 2005 |
| ISO 8528-6 : 1993 Reciprocating internal combustion engine driven alternating current generating sets — Part 6: Test methods                                       | IS/ISO 8528-6 : 2005 Reciprocating internal combustion engine driven alternating current generating sets: Part 6 Test methods                                       | Identical with ISO 8528-6 : 2005 |

(Continued on third cover)

*Indian Standard*

# RECIPROCATING INTERNAL COMBUSTION ENGINE DRIVEN ALTERNATING CURRENT GENERATING SETS

## PART 7 TECHNICAL DECLARATIONS FOR SPECIFICATION AND DESIGN

### 1 Scope

This part of ISO 8528 specifies the requirements and parameters for the specification and design of a reciprocating internal combustion (RIC) engine driven generating set, with reference to the definitions given in ISO 8528-1 to ISO 8528-6.

It applies to alternating current (a.c.) generating sets driven by RIC engines for land and marine use, excluding generating sets used on aircraft or to propel land vehicles and locomotives.

For some specific applications (for example, essential hospital supplies, high-rise buildings, etc.) supplementary requirements may be necessary. The provisions of this part of ISO 8528 should be regarded as a basis.

For other reciprocating-type prime movers (e.g. sewage gas engines, steam engines), the provisions of this part of ISO 8528 should be used as a basis.

### 2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 8528. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 8528 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 8178-3:1994, *Reciprocating internal combustion engines — Exhaust emission measurement — Part 3: Definitions and methods of measurement of exhaust gas smoke under steady-state conditions.*

ISO 8528-1:1993, *Reciprocating internal combustion engine driven alternating current generating sets — Part 1: Application, ratings and performance.*

ISO 8528-2:1993, *Reciprocating internal combustion engine driven alternating current generating sets — Part 2: Engines.*

ISO 8528-3:1993, *Reciprocating internal combustion engine driven alternating current generating sets — Part 3: Alternating current generators for generating sets.*

ISO 8528-4:1993, *Reciprocating internal combustion engine driven alternating current generating sets — Part 4: Controlgear and switchgear.*

ISO 8528-5:1993, *Reciprocating internal combustion engine driven alternating current generating sets — Part 5: Generating sets.*

ISO 8528-6:1993, *Reciprocating internal combustion engine driven alternating current generating sets — Part 6: Test methods.*

IEC 34-2:1972, *Rotating electrical machines — Part 2: Methods for determining losses and efficiency of rotating electrical machinery from tests (excluding machines for traction vehicles).*

IEC 34-5:1991, *Rotating electrical machines — Part 5: Classification of degrees of protection provided by enclosures of rotating electrical machines (IP code)*.

IEC 34-6:1991, *Rotating electrical machines — Part 6: Methods of cooling (IC code)*.

IEC 34-7:1992, *Rotating electrical machines — Part 7: Classification of types of constructions and mounting arrangements*.

IEC 364-4-41:1992, *Electrical installations of buildings — Part 4: Protection for safety — Chapter 41: Protection against electric shock*.

IEC 721-2-5:1991, *Classification of environmental conditions — Part 2: Environmental conditions appearing in nature — Section Five: Dust, sand, salt mist*.

### 3 Other regulations and additional requirements

**3.1** For a.c. generating sets used on board ships and offshore installations which have to comply with rules of a classification society, the additional requirements of the classification society shall be observed. The classification society shall be stated by the customer prior to placing of the order.

For a.c. generating sets operating in non-classed equipment, such additional requirements are in each case subject to agreement between the manufacturer and customer.

**3.2** If special requirements from regulations of any other authority (e.g. inspecting and/or legislative authorities) have to be met, the authority shall be stated by the customer prior to placing of the order.

Any further additional requirements shall be subject to agreement between the manufacturer and customer.

## 4 Technical declarations

In order to achieve the appropriate layout of a power generation station, the customer/user shall give requirements and parameters to the generating set manufacturer. Special items for the most important requirements and parameters are listed in 4.1 to 4.19.

NOTE 1 If there are no specific declarations stated by the customer, then the declarations stated by the manufacturer should be taken as the basis for the requirements and parameters.

Distinction has to be made between

- declarations which the customer or the user of the generating set has to give (symbol "x" in column "C" of 4.1 to 4.19).
- declarations which the manufacturer of the generating set has to give (symbol "x" in column "M" of 4.1 to 4.19);
- declarations to be agreed between the manufacturer and customer/user (symbol "x" in columns "M" and "C" of 4.1 to 4.19).

| No. | Term       | Item                                                  | Reference <sup>1)</sup>                         | C | M |
|-----|------------|-------------------------------------------------------|-------------------------------------------------|---|---|
| 4.1 | Basic data | Power demand                                          |                                                 | x |   |
|     |            | Power factor                                          |                                                 | x |   |
|     |            | Rated frequency                                       |                                                 | x |   |
|     |            | Rated voltage                                         |                                                 | x |   |
|     |            | Type of system earthing                               | IEC 364-4-41                                    | x |   |
|     |            | Profile of the connected electrical load              | 9.1 of ISO 8528-5                               | x |   |
|     |            | Required steady-state frequency and voltage behaviour | 5.1 and 7.1 of ISO 8528-5                       | x | x |
|     |            | Required transient frequency and voltage behaviour    | 5.3 and 7.3 of ISO 8528-5                       | x | x |
|     |            | Type of fuel available                                | 12 of ISO 8528-2                                | x |   |
|     |            | Starting                                              | 15.1 of ISO 8528-5 and C.3.11 of ISO 8528-7     | x | x |
|     |            | Cooling and room ventilation                          | 15.6 of ISO 8528-5                              | x | x |
| 4.2 | Engine     | Speed                                                 | 6.2 of ISO 8528-2                               | x | x |
|     |            | Fuel specification                                    | 12 of ISO 8528-2                                | x | x |
|     |            | Nature and type of speed governor                     | 6.6 of ISO 8528-2                               |   | x |
|     |            | Nature of engine cooling                              | 12 of ISO 8528-2                                | x | x |
|     |            | Required operating time without refueling             | 15.3 of ISO 8528-5                              | x |   |
|     |            | Required engine instrumentation                       | 7.4 of ISO 8528-4                               | x | x |
|     |            | Required protection system                            | 7.3 of ISO 8528-4                               | x | x |
|     |            | Fuel consumption                                      | 14.5 of ISO 8528-1                              |   | x |
|     |            | Starting system and ability                           | 11 of ISO 8528-2 and C.1.10 of ISO 8528-7       | x | x |
|     |            | Heat balance                                          | 9 of ISO 8528-2                                 |   | x |
|     |            | Air consumption                                       |                                                 |   | x |
|     |            |                                                       |                                                 |   |   |
| 4.3 | Generator  | Nature and type of excitation and voltage regulation  | 14.7.2 of ISO 8528-1 and 8 and 12 of ISO 8528-3 | x | x |
|     |            | Required mechanical protection                        | IEC 34-5                                        | x | x |
|     |            | Required electrical protection                        | 7.2 of ISO 8528-4                               | x | x |
|     |            | Nature of generator cooling                           | IEC 34-6                                        | x | x |
|     |            | Heat balance                                          | IEC 34-2                                        |   | x |
|     |            | Unsymmetrical load (unbalanced load current)          | 10.1 of ISO 8528-3                              | x |   |
|     |            | Construction and mounting arrangement                 | IEC 34-7                                        |   | x |
|     |            | Grade of radio interference suppression               | 10.5 of ISO 8528-3                              | x | x |

| No.  | Term                          | Item                                                                              | Reference <sup>1)</sup>                  | C | M |
|------|-------------------------------|-----------------------------------------------------------------------------------|------------------------------------------|---|---|
| 4.4  | Mode of operation             | Continuous                                                                        | 6.1 of ISO 8528-1                        | x |   |
|      |                               | Limited-time operation<br>(emergency generating set,<br>peak-load generating set) |                                          | x |   |
|      |                               | Expected operating hours<br>per year                                              |                                          | x |   |
| 4.5  | Power rating classification   | Continuous power                                                                  | 13.3 of ISO 8528-1                       |   | x |
|      |                               | Prime power                                                                       |                                          |   | x |
|      |                               | Limited-time running power                                                        |                                          |   | x |
| 4.6  | Site criteria                 | Land use                                                                          | 6.2.1 of ISO 8528-1                      | x |   |
|      |                               | Marine use                                                                        | 6.2.2 and 11.5 of ISO 8528-1             | x |   |
| 4.7  | Performance class             |                                                                                   | 7 of ISO 8528-1                          | x |   |
| 4.8  | Single and parallel operation | Parallel operation with other<br>generating sets                                  | 6.3 of ISO 8528-1                        | x |   |
|      |                               | Parallel operation with mains                                                     |                                          | x |   |
|      |                               | Type and execution of<br>synchronizing                                            |                                          | x | x |
| 4.9  | Mode of start-up and control  | Manual                                                                            | 6.4 of ISO 8528-1 and 6 of<br>ISO 8528-4 | x |   |
|      |                               | Automatic                                                                         |                                          | x |   |
|      |                               | Semi-automatic                                                                    |                                          | x |   |
|      |                               | Additional control device<br>proposed by the generating<br>set manufacturer       |                                          |   | x |
| 4.10 | Start-up time                 | Generating set with no<br>specified start-up time                                 | 6.5 of ISO 8528-1                        | x |   |
|      |                               | Long-break set                                                                    |                                          | x |   |
|      |                               | Short-break set                                                                   |                                          | x |   |
|      |                               | No-break set                                                                      |                                          | x |   |
| 4.11 | Installation features         | Installation configuration<br>— fixed<br>— transportable<br>— mobile              | 8.1 of ISO 8528-1                        | x |   |
|      |                               | Set configuration<br>— base frame<br>— enclosure<br>— trailer                     | 8.2 of ISO 8528-1                        | x |   |
|      |                               | Type of mounting                                                                  | 8.3 of ISO 8528-1                        | x | x |
|      |                               | Weather effects<br>— inside<br>— outside<br>— open air                            | 8.5 of ISO 8528-1                        | x | x |

| No.  | Term                                           | Item                                                              | Reference <sup>1)</sup>                  | C | M |
|------|------------------------------------------------|-------------------------------------------------------------------|------------------------------------------|---|---|
| 4.12 | Site conditions                                | Ambient temperature                                               | 11 of ISO 8528-1                         | x |   |
|      |                                                | Altitude                                                          |                                          | x |   |
|      |                                                | Humidity                                                          |                                          | x |   |
|      |                                                | Sand and dust <sup>2)</sup>                                       |                                          | x |   |
|      |                                                | Marine                                                            |                                          | x |   |
|      |                                                | Shock and vibration                                               |                                          | x |   |
|      |                                                | Chemical pollution                                                |                                          | x |   |
|      |                                                | Type of radiation                                                 |                                          | x |   |
|      |                                                | Cooling water/liquid                                              |                                          | x |   |
|      |                                                |                                                                   |                                          |   |   |
| 4.13 | Emissions                                      | Noise limitation                                                  | 9 of ISO 8528-1                          | x |   |
|      |                                                | Exhaust gas emission limitation                                   |                                          | x |   |
|      |                                                | Vibrations                                                        |                                          | x | x |
|      |                                                | National legislation                                              |                                          | x |   |
| 4.14 | Test methods                                   | Standard                                                          | 4 of ISO 8528-6                          | x | x |
|      |                                                | Special requirements                                              |                                          | x |   |
| 4.15 | Maintenance intervals                          | Routine (e.g. oil change)                                         | 13.3 of ISO 8528-1                       | x | x |
|      |                                                | Mechanical (e.g. filters)                                         |                                          |   | x |
|      |                                                | Electrical (e.g. controls)                                        |                                          |   | x |
|      |                                                | Service life to major overhaul                                    |                                          |   | x |
| 4.16 | Auxiliaries                                    | Power consumption of the auxiliary devices (e.g. fan, compressor) |                                          |   | x |
|      |                                                | Preheating                                                        |                                          |   | x |
|      |                                                | Prelubricating                                                    |                                          |   | x |
|      |                                                | Auxiliary and starting battery                                    |                                          |   | x |
| 4.17 | Controlgear and switchgear                     | Rated current capacity                                            | 4.5 of ISO 8528-4                        | x | x |
|      |                                                | Neutral earth scheme                                              | 7.2.7 of ISO 8528-4                      | x |   |
|      |                                                | Fault-current rating                                              | 5.2 of ISO 8528-4                        | x | x |
|      |                                                | Nature of protection device                                       | 7.2 of ISO 8528-4                        | x | x |
|      |                                                | Nominal operating voltage and control-circuit voltage             | 4.6 of ISO 8528-4                        | x | x |
|      |                                                | Required electrical instrumentation                               | 7.1 of ISO 8528-4                        | x | x |
| 4.18 | Factors affecting generating set's performance | With respect to power                                             | 9.1 of ISO 8528-5 and 14.2 of ISO 8528-1 | x |   |
|      |                                                | With respect to frequency and voltage                             | 9.2 of ISO 8528-5 and 14.2 of ISO 8528-1 | x |   |
| 4.19 | Other regulations and requirements             |                                                                   | 3 of ISO 8528-7                          | x |   |

1) The subclause numbers of parts 1 to 7 of ISO 8528 refer to the 1993 edition.

2) Where applicable IEC 721-2-5 shall be used to determine the classification, concentration, particle sizes and permanence of the type of sand or dust.

## Annex A

(normative)

### Technical questionnaire — General data

A check-list of a customer's requirements is given in A.1 to A.15. The customer is asked to mark a cross in the appropriate box.

| No.          | Requirement                                                                                                                                                                                            | Reference to subclause of ISO 8528-7 |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| <b>A.1</b>   | <b>Basic data</b>                                                                                                                                                                                      |                                      |
| <b>A.1.1</b> | Power demand of the customer: ..... kW<br>at power factor ( $\cos \phi$ ): .....                                                                                                                       | 4.1                                  |
| <b>A.1.2</b> | Rated voltage: ..... V<br>Rated frequency: ..... Hz<br>Number of phases: .....<br>Type of system earthing: TN <input type="checkbox"/> TT <input type="checkbox"/> IT <input type="checkbox"/>         |                                      |
| <b>A.1.3</b> | Profile of connected electrical load: .....                                                                                                                                                            |                                      |
| <b>A.2</b>   | <b>Fuel</b>                                                                                                                                                                                            |                                      |
| <b>A.2.1</b> | Type available:<br>Diesel <input type="checkbox"/> Petrol <input type="checkbox"/> Gas <input type="checkbox"/>                                                                                        | 4.1                                  |
| <b>A.2.2</b> | Required operating time at rated power without refueling: ..... h                                                                                                                                      | 4.2                                  |
| <b>A.3</b>   | <b>Nature of engine cooling</b><br>Air <input type="checkbox"/> Liquid <input type="checkbox"/><br>Type: .....                                                                                         | 4.2                                  |
| <b>A.4</b>   | <b>Mode of operation</b>                                                                                                                                                                               |                                      |
| <b>A.4.1</b> | Continuous operation <input type="checkbox"/><br>Limited time operation <input type="checkbox"/><br>Emergency set <input type="checkbox"/><br>Peakload set <input type="checkbox"/>                    | 4.4                                  |
| <b>A.4.2</b> | Expected operation hours per year: ..... h                                                                                                                                                             |                                      |
| <b>A.5</b>   | <b>Site criteria</b><br>Land use <input type="checkbox"/> Marine use <input type="checkbox"/>                                                                                                          | 4.6                                  |
| <b>A.6</b>   | <b>Performance class</b><br>G1 <input type="checkbox"/> G2 <input type="checkbox"/> G3 <input type="checkbox"/> G4 <input type="checkbox"/><br>NOTE — If performance class G4 is applied, see annex B. | 4.7                                  |

| No.           | Requirement                                                                                                                                                                                                                                 | Reference to subclause of ISO 8528-7 |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| <b>A.7</b>    | <b>Single and parallel operation</b>                                                                                                                                                                                                        |                                      |
| <b>A.7.1</b>  | Single operation <input type="checkbox"/>                                                                                                                                                                                                   | 4.8                                  |
| <b>A.7.2</b>  | Parallel operation with other generating sets <input type="checkbox"/><br>Parallel operation with mains <input type="checkbox"/><br>Nature of synchronizing: .....                                                                          |                                      |
| <b>A.8</b>    | <b>Mode of start-up and control</b>                                                                                                                                                                                                         |                                      |
| <b>A.8.1</b>  | Start-up: Manual <input type="checkbox"/> Automatic <input type="checkbox"/> Semi-automatic <input type="checkbox"/>                                                                                                                        | 4.9                                  |
| <b>A.8.2</b>  | Control: Manual <input type="checkbox"/> Automatic <input type="checkbox"/> Semi-automatic <input type="checkbox"/>                                                                                                                         |                                      |
| <b>A.9</b>    | <b>Start-up time</b>                                                                                                                                                                                                                        |                                      |
| <b>A.9.1</b>  | Generating set with no specified start-up time <input type="checkbox"/><br>Generating set with specific start-up time <input type="checkbox"/>                                                                                              | 4.10                                 |
| <b>A.9.2</b>  | Long-break set <input type="checkbox"/> Short-break set <input type="checkbox"/> No-break set <input type="checkbox"/>                                                                                                                      |                                      |
| <b>A.10</b>   | <b>Load acceptance</b><br>Loading, 1st step: ..... % of rated power<br>..... s after starting<br>Loading, 2nd step: ..... % of rated power<br>..... s after starting<br>Loading, 3rd step: ..... % of rated power<br>..... s after starting | 4.18                                 |
| <b>A.11</b>   | <b>Installation features</b>                                                                                                                                                                                                                |                                      |
| <b>A.11.1</b> | Installation configuration:<br>Fixed <input type="checkbox"/> Transportable <input type="checkbox"/> Mobile <input type="checkbox"/>                                                                                                        | 4.11                                 |
| <b>A.11.2</b> | Set configuration:<br>Base frame <input type="checkbox"/> Enclosure <input type="checkbox"/> Trailer <input type="checkbox"/>                                                                                                               |                                      |
| <b>A.11.3</b> | Weather effects:<br>Inside <input type="checkbox"/> Outside <input type="checkbox"/> Open air <input type="checkbox"/>                                                                                                                      |                                      |

| No.           | Requirement                                                                                                                                                                                                                                                                                          | Reference to subclause of ISO 8528-7 |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| <b>A.12</b>   | <b>Site conditions</b>                                                                                                                                                                                                                                                                               |                                      |
| <b>A.12.1</b> | Ambient air temperature: max. .... °C<br>min. .... °C                                                                                                                                                                                                                                                | 4.12                                 |
| <b>A.12.2</b> | Altitude above sea level: ..... m                                                                                                                                                                                                                                                                    |                                      |
| <b>A.12.3</b> | Maximum humidity: ..... %                                                                                                                                                                                                                                                                            |                                      |
| <b>A.12.4</b> | Sand and dust: Yes <input type="checkbox"/> No <input type="checkbox"/><br>Nature of sand and dust: .....                                                                                                                                                                                            |                                      |
| <b>A.12.5</b> | Marine climate operation: Yes <input type="checkbox"/> No <input type="checkbox"/>                                                                                                                                                                                                                   |                                      |
| <b>A.12.6</b> | Shock and vibration: .....<br>.....                                                                                                                                                                                                                                                                  |                                      |
| <b>A.12.7</b> | Chemical pollution: Yes <input type="checkbox"/> No <input type="checkbox"/><br>Nature of pollution: .....<br>Nature of chemicals: .....<br>.....                                                                                                                                                    |                                      |
| <b>A.12.8</b> | Radiation type: .....                                                                                                                                                                                                                                                                                |                                      |
| <b>A.12.9</b> | Cooling liquid:<br>Availability: Yes <input type="checkbox"/> No <input type="checkbox"/><br>Sea water <input type="checkbox"/> Fresh water <input type="checkbox"/><br>Other <input type="checkbox"/> (to be specified) .....<br>Quality: .....<br>pH-value: .....<br>Maximum temperature: ..... °C |                                      |
| <b>A.13</b>   | <b>Emissions</b>                                                                                                                                                                                                                                                                                     |                                      |
| <b>A.13.1</b> | Noise limitation: Yes <input type="checkbox"/> No <input type="checkbox"/><br>Maximal level $L_{WA}$ = ..... dB                                                                                                                                                                                      | 4.13                                 |

| No.      | Requirement                                                                                                                                                                                                                                                                                                                                                                                                                                  | Reference to subclause of ISO 8528-7 |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| A.13.2   | Exhaust gas emission limitation:    Yes <input type="checkbox"/> No <input type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                 |                                      |
| A.13.2.1 | Emissions related to energy consumption:<br><br>NO <sub>x</sub> ..... g/kW·h            CO ..... g/kW·h<br><br>SO <sub>2</sub> ..... g/kW·h            HC ..... g/kW·h<br><br>Smoke number (in accordance with ISO 8178-3): .....                                                                                                                                                                                                            | 4.13                                 |
| A.13.2.2 | Emissions given in concentration values:<br><br>NO <sub>x</sub> ..... ppm            CO ..... ppm<br><br>SO <sub>2</sub> ..... ppm            HC ..... ppm<br><br>Smoke number (in accordance with ISO 8178-3): .....<br><br>The O <sub>2</sub> content in the exhaust gas on which the emission values are based: ..... % (V/V)                                                                                                             |                                      |
| A.13.2.3 | Emissions given in concentration values:<br><br>NO <sub>x</sub> ..... mg/m <sup>3</sup> CO ..... mg/m <sup>3</sup><br><br>SO <sub>2</sub> ..... mg/m <sup>3</sup> HC ..... mg/m <sup>3</sup><br><br>measured under standard reference conditions (0 °C , 101,3 kPa, ).<br><br>Smoke number (in accordance with ISO 8178-3): .....<br><br>The O <sub>2</sub> content in the exhaust gas on which the emission values are based: ..... % (V/V) |                                      |
| A.14     | Test methods                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                      |
| A.14.1   | Test programme according to ISO 8528-6:<br><br>ISO standard type test <input type="checkbox"/><br><br>ISO standard acceptance test <input type="checkbox"/>                                                                                                                                                                                                                                                                                  | 4.14                                 |
| A.14.2   | Special requirements for carrying out the test: .....<br><br>.....                                                                                                                                                                                                                                                                                                                                                                           |                                      |
| A.15     | Other regulations and requirements                                                                                                                                                                                                                                                                                                                                                                                                           |                                      |
| A.15.1   | Laws to be taken into account (details to be attached): Yes <input type="checkbox"/> No <input type="checkbox"/>                                                                                                                                                                                                                                                                                                                             | 4.19                                 |
| A.15.2   | Special requirements of any authorities to be taken into account (details to be attached): Yes <input type="checkbox"/> No <input type="checkbox"/>                                                                                                                                                                                                                                                                                          |                                      |

## Annex B

(normative)

### Technical questionnaire — Specific data

A check-list of a customer's requirements is given in B.1 to B.9.

This document may constitute either an addition to the general requirements of annex A or an amendment to the requirements given in the selected performance class.

| No.        | Characteristic                                                                                             | Reference to subclause of ISO 8528-7 |
|------------|------------------------------------------------------------------------------------------------------------|--------------------------------------|
| <b>B.1</b> | Frequency droop: ..... %                                                                                   | 4.1                                  |
| <b>B.2</b> | Steady-state frequency band: ..... %                                                                       |                                      |
| <b>B.3</b> | Steady-state voltage deviation: .....                                                                      |                                      |
| <b>B.4</b> | Transient frequency deviation from initial frequency/rated frequency (depending on loading steps): ..... % |                                      |
| <b>B.5</b> | Frequency recovery time: .....                                                                             |                                      |
| <b>B.6</b> | Transient voltage deviation from initial voltage/rated voltage (depending on loading steps): .....         |                                      |
| <b>B.7</b> | Voltage recovery time: .....                                                                               |                                      |
| <b>B.8</b> | Load characteristics: .....                                                                                | 4.18                                 |
| <b>B.9</b> | Neutral earth scheme: .....                                                                                | 4.17                                 |

## Annex C

(normative)

### Generating set data

A check-list of specifications agreed by the customer and manufacturer are given in C.1 to C.3. The customer is asked to mark a cross in the appropriate box.

| No.           | Requirement                                                                                                                                                                                                                                                                           | Reference         |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| <b>C.1</b>    | <b>RIC engine</b>                                                                                                                                                                                                                                                                     |                   |
| <b>C.1.1</b>  | Manufacturer: .....                                                                                                                                                                                                                                                                   | 4.2 of ISO 8528-7 |
| <b>C.1.2</b>  | Engine speed: ..... min <sup>-1</sup> (r/min)                                                                                                                                                                                                                                         |                   |
| <b>C.1.3</b>  | Engine intake air temperature:<br>Max.: ..... °C      Min.: ..... °C                                                                                                                                                                                                                  |                   |
| <b>C.1.4</b>  | Fuel specification .....                                                                                                                                                                                                                                                              |                   |
| <b>C.1.5</b>  | Nature and type of engine governor: .....<br>.....<br>Manufacturer: .....                                                                                                                                                                                                             |                   |
| <b>C.1.6</b>  | Nature of engine cooling .....                                                                                                                                                                                                                                                        |                   |
| <b>C.1.7</b>  | Required engine instrumentation .....                                                                                                                                                                                                                                                 |                   |
| <b>C.1.8</b>  | Required protection equipment .....                                                                                                                                                                                                                                                   |                   |
| <b>C.1.9</b>  | Type of RIC engine:<br>Compression ignition engine <input type="checkbox"/><br>Spark ignition engine <input type="checkbox"/><br>Turbocharged engine: Yes <input type="checkbox"/> No <input type="checkbox"/><br>2-stroke <input type="checkbox"/> 4-stroke <input type="checkbox"/> |                   |
| <b>C.1.10</b> | Starting system:<br>Pneumatic starter motor <input type="checkbox"/><br>Electrical starter motor <input type="checkbox"/><br>Air starting system <input type="checkbox"/><br>Other <input type="checkbox"/><br>(to be specified): .....<br>.....<br>(see also C.3)                    |                   |

| No.          | Requirement                                                                                                                                                                                                                                                                      | Reference                               |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|
| <b>C.2</b>   | <b>Alternating current generator</b>                                                                                                                                                                                                                                             |                                         |
| <b>C.2.1</b> | Manufacturer: .....                                                                                                                                                                                                                                                              | 4.3 of ISO 8528-7                       |
| <b>C.2.2</b> | Type of a.c. generator: Synchronous <input type="checkbox"/> Asynchronous <input type="checkbox"/>                                                                                                                                                                               |                                         |
| <b>C.2.3</b> | Excitation system: Static <input type="checkbox"/> Brushless <input type="checkbox"/>                                                                                                                                                                                            |                                         |
| <b>C.2.4</b> | Required mechanical protection: .....                                                                                                                                                                                                                                            | 4.4 of ISO 8528-7 and IEC 34-5          |
| <b>C.2.5</b> | Required electrical protection: .....                                                                                                                                                                                                                                            | 7.2 of ISO 8528-4 and 4.3 of ISO 8528-7 |
| <b>C.2.6</b> | Construction and mounting arrangement: .....                                                                                                                                                                                                                                     | 4.3 of ISO 8528-7 and IEC 34-7          |
| <b>C.2.7</b> | Nature of generator cooling: .....                                                                                                                                                                                                                                               | 4.3 of ISO 8528-7 and IEC 34-6          |
| <b>C.3</b>   | <b>Generating set</b>                                                                                                                                                                                                                                                            |                                         |
| <b>C.3.1</b> | Power rating classification: Continuous power <input type="checkbox"/> Prime power <input type="checkbox"/><br>Limiting-time running power <input type="checkbox"/>                                                                                                              |                                         |
| <b>C.3.2</b> | Type of synchronizing: .....                                                                                                                                                                                                                                                     |                                         |
| <b>C.3.3</b> | Type of mounting:<br>Rigid mounting <input type="checkbox"/><br>Resilient mounting:<br>Fully resilient <input type="checkbox"/> Semi-resilient <input type="checkbox"/> Compound resilient <input type="checkbox"/><br>Mounting on resilient foundation <input type="checkbox"/> |                                         |
| <b>C.3.4</b> | Vibration emission limitations: Yes <input type="checkbox"/> No <input type="checkbox"/><br>.....<br>.....                                                                                                                                                                       |                                         |
| <b>C.3.5</b> | Fuel consumption, taking into account the efficiency of the generator: .....                                                                                                                                                                                                     |                                         |
| <b>C.3.6</b> | Control-circuit voltage: ..... V                                                                                                                                                                                                                                                 |                                         |
| <b>C.3.7</b> | Additional control devices offered by the generating set manufacturer: .....                                                                                                                                                                                                     |                                         |
| <b>C.3.8</b> | Weather effects                                                                                                                                                                                                                                                                  | 4.11 of ISO 8528-7                      |
| <b>C.3.9</b> | Maintenance intervals:<br>Routine: ..... Special .....                                                                                                                                                                                                                           | 4.15 of ISO 8528-7                      |

| No.           | Requirement                                                                                                                                                                                                                                                                                                                                                                             | Reference          |
|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| <b>C.3.10</b> | Auxiliaries:<br>Auxiliary devices: Included <input type="checkbox"/> Not included <input type="checkbox"/><br>Preheating required: Yes <input type="checkbox"/> No <input type="checkbox"/><br>Prelubricating required: Yes <input type="checkbox"/> No <input type="checkbox"/><br>Auxiliaries and starting battery required: Yes <input type="checkbox"/> No <input type="checkbox"/> | 4.16 of ISO 8528-7 |
| <b>C.3.11</b> | Starting capability:<br>Number of consecutive starting attempts required: .....<br>Elapsed time between starting attempts: ..... s                                                                                                                                                                                                                                                      | 4.1 of ISO 8528-7  |
| <b>C.3.9</b>  | Type of cooling and room ventilation<br>Natural <input type="checkbox"/> Forced <input type="checkbox"/>                                                                                                                                                                                                                                                                                | 4.1 of ISO 8528-7  |

## **Annex D**

(informative)

### **Bibliography**

- [1] ISO 3046-1:1986, *Reciprocating internal combustion engines — Performance — Part 1: Standard reference conditions and declarations of power, fuel consumption and lubricating oil consumption.*
- [2] ISO 3046-4:1978, *Reciprocating internal combustion engines — Performance — Part 4: Speed governing.*
- [3] ISO 8178-1:—<sup>1)</sup>, *Reciprocating internal combustion engines — Exhaust emission measurement — Part 1: Test bed measurement of gaseous and particulate emissions.*
- [4] ISO 8178-2:—<sup>1)</sup>, *Reciprocating internal combustion engines — Exhaust emission measurement — Part 2: At-site measurement of gaseous and particulate exhaust emissions.*
- [5] ISO 8178-4:—<sup>1)</sup>, *Reciprocating internal combustion engines — Exhaust emission measurement — Part 4: Test cycles for different engine applications.*
- [6] IEC 721-3-3:1987, *Classification of environmental conditions — Part 3: Classification of groups of environmental parameters and their severities. Stationary use at weatherprotected localities.*

---

1) To be published.

(Continued from second cover)

| <i>International Standard</i>                                                                                                                                   | <i>Corresponding Indian Standard</i>                                                                                                                                                               | <i>Degree of Equivalence</i>      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| IEC 34-5 : 1991 Rotating electrical machines — Part 5: Classification of degrees of protection provided by enclosures of rotating electrical machines (IP code) | IS/IEC 60034-5 : 2000 Rotating electrical machines: Part 5 Degree of protection provided by the integral design relating electrical machines (IP Code) — Classification ( <i>second revision</i> ) | Identical with IEC 60034-5 : 2000 |
| IEC 34-6 : 1991 Rotating electrical machines — Part 6: Methods of cooling (IC code)                                                                             | IS 6362 : 1995 Designation of methods of cooling of rotating electrical machines ( <i>first revision</i> )                                                                                         | Identical                         |

The technical committee has reviewed the provisions of the following International Standards referred in this adopted standard and has decided that they are acceptable for use in conjunction with this standard:

| <i>International Standard</i> | <i>Title</i>                                                                                                                                                                 |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ISO 8178-3 : 1994             | Reciprocating internal combustion engines — Exhaust emission measurement — Part 3: Definitions and methods of measurement of exhaust gas smoke under steady-state conditions |
| IEC 34-2 : 1972               | Rotating electrical machines — Part 2: Methods for determining losses and efficiency of rotating electrical machinery from tests (excluding machines for traction vehicles)  |
| IEC 34-7 : 1992               | Rotating electrical machines — Part 7: Classification of types of constructions and mounting arrangements                                                                    |
| IEC 364-4-41 : 1992           | Electrical installations of buildings — Part 4: Protection for safety — Chapter 41: Protection against electric shock                                                        |
| IEC 721-2-5 : 1991            | Classification of environmental conditions — Part 2: Environmental conditions appearing in nature — Section Five: Dust, sand, salt mist                                      |

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS 2 : 1960 'Rules for rounding off numerical values (*revised*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

## Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act, 1986* to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

### Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

### Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the latest issue of 'BIS Catalogue' and 'Standards: Monthly Additions'.

This Indian Standard has been developed from Doc No.: TED 2 (779).

#### Amendments Issued Since Publication

| Amendment No. | Date of Issue | Text Affected |
|---------------|---------------|---------------|
|               |               |               |
|               |               |               |
|               |               |               |
|               |               |               |

#### BUREAU OF INDIAN STANDARDS

##### Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002

Telephones: 2323 0131, 2323 3375, 2323 9402

Website: [www.bis.org.in](http://www.bis.org.in)

##### Regional Offices:

##### Telephones

|          |                                                                         |                                                |
|----------|-------------------------------------------------------------------------|------------------------------------------------|
| Central  | : Manak Bhavan, 9 Bahadur Shah Zafar Marg<br>NEW DELHI 110002           | { 2323 7617<br>2323 3841                       |
| Eastern  | : 1/14, C.I.T. Scheme VII M, V.I.P. Road, Kankurgachi<br>KOLKATA 700054 | { 2337 8499, 2337 8561<br>2337 8626, 2337 9120 |
| Northern | : SCO 335-336, Sector 34-A, CHANDIGARH 160022                           | { 260 3843<br>260 9285                         |
| Southern | : C.I.T. Campus, IV Cross Road, CHENNAI 600113                          | { 2254 1216, 2254 1442<br>2254 2519, 2254 2315 |
| Western  | : Manakalaya, E9 MIDC, Marol, Andheri (East)<br>MUMBAI 400093           | { 2832 9295, 2832 7858<br>2832 7891, 2832 7892 |

**Branches:** AHMEDABAD. BANGALORE. BHOPAL. BHUBANESHWAR. COIMBATORE. DEHRADUN. FARIDABAD. GHAZIABAD. GUWAHATI. HYDERABAD. JAIPUR. KANPUR. LUCKNOW. NAGPUR. PARWANOO. PATNA. PUNE. RAJKOT. THIRUVANATHAPURAM. VISAKHAPATNAM.